

CERTIFICATE OF ANALYSIS (COA)

Green Vision Technical Services
Nashik, Maharashtra 422206, India
CIB Registered | +91-9890550271

NPK 14:35:14 Flower Trigger WSF

1. Product Information

Product	NPK 14:35:14 Flower Trigger WSF
Category	Water Soluble Fertilizers
Grade	Agricultural Grade
Standard	ISO 17025:2017
Batch No.	Per batch — request current COA
Mfg Date	Per batch
Expiry	2-3 years from mfg date
CAS No.	Various — see label

2. Test Results

Parameter	Specification	Result	Method
Appearance	White crystalline powder/granules	Conforms	Visual
Total Nitrogen (N)	Min. 14%	14.2%	Kjeldahl
Phosphorus (P ₂ O ₅)	Min. 35%	35.3%	Spectrophotometry
Potassium (K ₂ O)	Min. 14%	14.2%	Flame photometry
Water Solubility	100%	100%	Gravimetric
pH (1% solution)	4.5–7.5	6.2	pH meter
Moisture	Max. 2.0%	0.8%	Karl Fischer
Heavy Metals (as Pb)	Max. 10 ppm	<5 ppm	ICP-OES

3. Conclusion

RESULT: PASS — APPROVED FOR RELEASE

NPK 14:35:14 Flower Trigger WSF meets specified quality standards — APPROVED FOR RELEASE.

Analyst	QC Manager	Authorised Signatory
QC Analyst, GVTS	QC Manager, GVTS	Director, GVTS
_____	_____	_____

For batch-specific COA with actual laboratory test data, contact greenvisionts@gmail.com or WhatsApp +91-9890550271