

CERTIFICATE OF ANALYSIS (COA)

Green Vision Technical Services
Nashik, Maharashtra 422206, India
CIB Registered | +91-9890550271

Urea 46% N

1. Product Information

Product	Urea 46% N
Category	Straight Nutrients
Grade	Agricultural Grade
Standard	ISO 17025:2017
Batch No.	Per batch — request current COA
Mfg Date	Per batch
Expiry	2-3 years from mfg date
CAS No.	57-13-6

2. Test Results

Parameter	Specification	Result	Method
Appearance	White crystalline powder/granules	Conforms	Visual
Total Nitrogen (N)	Min. 46.0%	46.2%	Kjeldahl
Water Solubility	100%	100%	Gravimetric
pH (1% solution)	4.5–7.5	6.2	pH meter
Moisture	Max. 2.0%	0.8%	Karl Fischer
Heavy Metals (as Pb)	Max. 10 ppm	<5 ppm	ICP-OES
Total N (as Urea)	Min. 46%	46.2%	Kjeldahl

3. Conclusion

RESULT: PASS — APPROVED FOR RELEASE

Urea 46% N meets specified quality standards — APPROVED FOR RELEASE.

Analyst	QC Manager	Authorised Signatory
QC Analyst, GVTs	QC Manager, GVTs	Director, GVTs
_____	_____	_____

For batch-specific COA with actual laboratory test data, contact greenvisionts@gmail.com or WhatsApp +91-9890550271